

## Performance Report for: <https://www.thinkwithgoogle.com/>

Report generated: Mon, Jul 30, 2018, 2:38 PM -0500  
 Test Server Region: Dallas, USA  
 Using: Chrome (Desktop) 62.0.3202.94, PageSpeed 1.15-gt1, YSlow 3.1.8

PageSpeed Score <b>B (85%)</b>	YSlow Score <b>C (79%)</b>	Fully Loaded Time <b>1.5s</b>	Total Page Size <b>475KB</b>	Requests <b>45</b>
-----------------------------------	-------------------------------	----------------------------------	---------------------------------	-----------------------

### Top 5 Priority Issues

<b>Minimize redirects</b>	F (13)	AVG SCORE: 89%	CONTENT	HIGH
<b>Leverage browser caching</b>	B (83)	AVG SCORE: 59%	SERVER	HIGH
<b>Optimize images</b>	A (90)	AVG SCORE: 70%	IMAGES	HIGH
<b>Specify a cache validator</b>	A (94)	AVG SCORE: 94%	SERVER	HIGH
<b>Minify JavaScript</b>	A (99)	AVG SCORE: 88%	JS	HIGH

### How does this affect me?

Studies show that users leave a site if it hasn't loaded in 4 seconds; keep your users happy and engaged by providing a fast performing website.

As if you didn't need more incentive, **Google has announced that they are using page speed in their ranking algorithm.**

### About GTmetrix

We can help you develop a faster, more efficient, and all-around improved website experience for your users. We use Google PageSpeed and Yahoo! YSlow to grade your site's performance and provide actionable recommendations to fix these issues.

### About the Developer



GTmetrix is developed by the good folks at **GT.net**, a Vancouver-based performance hosting company with over 22 years experience in web technology.

<https://gt.net/>

### What do these grades mean?

This report is an analysis of your site with Google and Yahoo!'s metrics for how to best develop a site for optimized speed. The **grades you see represent** how well the scanned URL adheres to those rules.

Lower grades (C or lower) mean that the page can stand to be faster using better practices and optimizing your settings.

### What's in this report?


This report covers basic to technical analyses on your page. It is categorized under many headings:

- **Executive:** Overall score information and Priority Issues
- **History:** Graphed history of past performance
- **Waterfall:** Graph of your site's loading timeline
- **Technical:** In-depth PageSpeed & YSlow information


These will provide you with a snapshot of your performance.

## History


### Page load times



### Page sizes and request counts




### PageSpeed and YSlow scores



## Waterfall Chart

The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.

### Think with Google - Discover Marketing Research & Digital Trends




## Page Load Timings

RUM Speed Index: 963

Redirect 0ms	Connect 101ms	Backend 195ms	TTFB 296ms
First paint 0.6s	Contentful paint 0.6s	DOM int. 0.8s	DOM loaded 0.8s (2ms)
Onload 1.4s (0ms)			

### Redirect duration



This is the time spent redirecting URLs before the final HTML page is loaded. Common redirects include:


- Redirect from a non-www to www (eg. example.com to www.example.com)
- Redirect to a secure URL (eg. http:// to https://)
- Redirect to set cookies
- Redirect to a mobile version of the site

Some sites may even perform a chain of multiple redirects (eg. non-www to www, then to a secure URL). This timing is the total of all this time that's spent redirecting, or 0 if no redirects occurred.

In the Waterfall Chart, Redirect duration consists of the time from the beginning of the test until just before we start the request of the final HTML page (when we receive the first 200 OK response).

During this time, the browser screen is blank! Ensure that this duration is kept to short by [minimizing your redirects](#).

### Connection duration




Once any redirects have completed, Connection duration is measured. This is the time spent connecting to the server to make the request to the page.

Technically speaking, this duration is a combination of the blocked time, DNS time, connect time and sending time of the request (rather than *just* connect time). We've combined those components into a single Connection duration to simplify things (as most of these times are usually small).

In the Waterfall Chart, Connection duration consists of everything up to and including the "Sending" time in the final HTML page request (the first 200 OK response).

During this time, the browser screen is still blank! Various causes could contribute to this, including a slow/problematic connection between the test server and site or slow response times from the site.

### Backend duration




Once the connection is complete and the request is made, the server needs to generate a response for the page. The time it takes to generate the response is known as the Backend duration.

In the Waterfall Chart, Backend duration consists of purple waiting time in the page request.

There are a number of reasons why Backend duration could be slow. We cover this in our ["Why is my page slow"](#) article.

### Time to First Byte (TTFB)




Time to First Byte (TTFB) is the total amount of time spent to receive the first byte of the response once it has been requested. It is the sum of "Redirect duration" + "Connection duration" + "Backend duration". This metric is one of the key indicators of web performance.

In the Waterfall Chart, it is calculated at the start of the test until just before receiving on the page request and represented by the orange line.

Some ways to improve the TTFB include: optimizing application code, implementing caching, fine-tuning your web server configuration, or upgrading server hardware.

## First paint time



First paint time is the first point at which the browser does any sort of rendering on the page. Depending on the structure of the page, this first paint could just be displaying the background colour (including white), or it could be a majority of the page being rendered.


In the Waterfall Chart, it is represented by the green line.

This timing is of significance because until this point, the browser will have only shown a blank page and this change gives the user an indication that the page is loading. However, we don't know how much of the page was rendered with this paint, so having an early first paint doesn't necessarily

indicate a fast loading page.

If the browser does not perform a paint (ie. the html results in a blank page), then the paint timings may be missing.

## First contentful paint time




First Contentful Paint is triggered when any *content* is painted - i.e. something defined in the DOM (Document Object Model). This could be text, an image or canvas render.

This timing aims to be more representative of your user's experience, as it flags when actual content has been loaded in the page, and not just any change - but it may often be the same time as First Paint.

Because the focus is on content, the idea is that this metric gives you an idea of when your user receives consumable information (text, visuals, etc) - much more useful for performance assessment than when a background has changed or a style has been applied.

If the browser does not perform a paint (ie. the html results in a blank page), then the paint timings may be missing.


## DOM interactive time



DOM interactive time is the point at which the browser has finished loading and parsing HTML, and the DOM (Document Object Model) has been built. The DOM is how the browser internally structures the HTML so that it can render it.

DOM interactive time isn't marked in the Waterfall Chart as it's usually very close in timing to DOM content loaded.

## DOM content loaded time



DOM content loaded time (DOM loaded or DOM ready for short) is the point at which the DOM is ready (ie. DOM interactive) and there are no stylesheets blocking JavaScript execution.


If there are no stylesheets blocking JavaScript execution and there is no parser blocking JavaScript, then this will be the same as DOM interactive time.

In the Waterfall Chart, it is represented by the blue line.

The time in brackets is the time spent executing JavaScript triggered by the DOM content loaded event. Many JavaScript frameworks use this event as a starting point to begin execution of their code.

Since this event is often used by JavaScript as the starting point and delays in this event mean delays in rendering, it's important to make sure that [style and script order is optimized](#) and that [parsing of JavaScript is deferred](#).

## ■ Onload time



Onload time occurs when the processing of the page is complete and all the resources on the page (images, CSS, etc.) have finished downloading. This is also the same time that DOM complete occurs and the JavaScript window.onload event fires.

Note that there may be JavaScript that initiates subsequent requests for more resources, hence the reason why Fully loaded timing is preferred.

In the Waterfall Chart, it is represented by the red line.

The time in brackets is the time spent executing JavaScript triggered by the Onload event.

Note that Onload time was the previous default for when to stop the test prior to February 8th, 2017.

## PageSpeed Recommendations

RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
<a href="#">Minimize redirects</a>	F (13)	AVG SCORE: 89%	CONTENT	HIGH
<a href="#">Leverage browser caching</a>	B (83)	AVG SCORE: 59%	SERVER	HIGH
<a href="#">Optimize images</a>	A (90)	AVG SCORE: 70%	IMAGES	HIGH
<a href="#">Specify a cache validator</a>	A (94)	AVG SCORE: 94%	SERVER	HIGH
<a href="#">Minify JavaScript</a>	A (99)	AVG SCORE: 88%	JS	HIGH
<a href="#">Minify HTML</a>	A (99)	AVG SCORE: 98%	CONTENT	LOW
<a href="#">Enable gzip compression</a>	A (99)	AVG SCORE: 85%	SERVER	HIGH
<a href="#">Specify image dimensions</a>	A (99)	AVG SCORE: 98%	IMAGES	MEDIUM
<a href="#">Defer parsing of JavaScript</a>	A (99)	AVG SCORE: 70%	JS	HIGH
<a href="#">Minify CSS</a>	A (99)	AVG SCORE: 95%	CSS	HIGH
<a href="#">Specify a Vary: Accept-Encoding header</a>	A (95)	AVG SCORE: 96%	SERVER	LOW
<a href="#">Avoid bad requests</a>	A (100)	AVG SCORE: 98%	CONTENT	HIGH
<a href="#">Avoid landing page redirects</a>	A (100)	AVG SCORE: 98%	SERVER	HIGH
<a href="#">Enable Keep-Alive</a>	A (100)	AVG SCORE: 96%	SERVER	HIGH
<a href="#">Inline small CSS</a>	A (100)	AVG SCORE: 96%	CSS	HIGH
<a href="#">Inline small JavaScript</a>	A (100)	AVG SCORE: 94%	JS	HIGH
<a href="#">Minimize request size</a>	A (100)	AVG SCORE: 96%	CONTENT	HIGH
<a href="#">Optimize the order of styles and scripts</a>	A (100)	AVG SCORE: 94%	CSS/JS	HIGH
<a href="#">Put CSS in the document head</a>	A (100)	AVG SCORE: 100%	CSS	HIGH
<a href="#">Serve resources from a consistent URL</a>	A (100)	AVG SCORE: 88%	CONTENT	HIGH
<a href="#">Serve scaled images</a>	A (100)	AVG SCORE: 73%	IMAGES	HIGH
<a href="#">Combine images using CSS sprites</a>	A (100)	AVG SCORE: 90%	IMAGES	HIGH
<a href="#">Avoid CSS @import</a>	A (100)	AVG SCORE: 98%	CSS	MEDIUM
<a href="#">Prefer asynchronous resources</a>	A (100)	AVG SCORE: 100%	JS	MEDIUM
<a href="#">Specify a character set early</a>	A (100)	AVG SCORE: 100%	CONTENT	MEDIUM
<a href="#">Avoid a character set in the meta tag</a>	A (100)	AVG SCORE: 100%	CONTENT	LOW
<a href="#">Remove query strings from static resources</a>	A (100)	AVG SCORE: 88%	CONTENT	LOW

## YSlow Recommendations

RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
<b>Add Expires headers</b>	F (45) <input type="text"/>	▲ AVG SCORE: 26%	SERVER	HIGH
<b>Avoid URL redirects</b>	F (0) <input type="text"/>	▼ AVG SCORE: 88%	CONTENT	MEDIUM
<b>Use a Content Delivery Network (CDN)</b>	F (40) <input type="text"/>	▲ AVG SCORE: 21%	SERVER	MEDIUM
<b>Make fewer HTTP requests</b>	B (80) <input type="text"/>	▲ AVG SCORE: 32%	CONTENT	HIGH
<b>Minify JavaScript and CSS</b>	B (80) <input type="text"/>	▲ AVG SCORE: 71%	CSS/JS	MEDIUM
<b>Reduce DNS lookups</b>	A (90) <input type="text"/>	▲ AVG SCORE: 69%	CONTENT	LOW
<b>Compress components with gzip</b>	A (100) <input type="text"/>	▲ AVG SCORE: 86%	SERVER	HIGH
<b>Make AJAX cacheable</b>	A (100) <input type="text"/>	◆ AVG SCORE: 100%	JS	MEDIUM
<b>Remove duplicate JavaScript and CSS</b>	A (100) <input type="text"/>	◆ AVG SCORE: 100%	CSS/JS	MEDIUM
<b>Avoid AlphasLoader filter</b>	A (100) <input type="text"/>	◆ AVG SCORE: 99%	CSS	MEDIUM
<b>Avoid HTTP 404 (Not Found) error</b>	A (100) <input type="text"/>	◆ AVG SCORE: 98%	CONTENT	MEDIUM
<b>Reduce the number of DOM elements</b>	A (100) <input type="text"/>	▲ AVG SCORE: 92%	CONTENT	LOW
<b>Use cookie-free domains</b>	A (100) <input type="text"/>	▲ AVG SCORE: 50%	COOKIE	LOW
<b>Use GET for AJAX requests</b>	A (100) <input type="text"/>	◆ AVG SCORE: 100%	JS	LOW
<b>Avoid CSS expressions</b>	A (100) <input type="text"/>	◆ AVG SCORE: 99%	CSS	LOW
<b>Reduce cookie size</b>	A (100) <input type="text"/>	◆ AVG SCORE: 100%	COOKIE	LOW
<b>Make favicon small and cacheable</b>	A (100) <input type="text"/>	◆ AVG SCORE: 100%	IMAGES	LOW
<b>Configure entity tags (ETags)</b>	A (100) <input type="text"/>	▲ AVG SCORE: 91%	SERVER	LOW
<b>Make JavaScript and CSS external</b>	(n/a) <input type="text"/>		CSS/JS	MEDIUM